

Date: 20/05/14
Page: 1

HIGHETT METAL PTY LTD

Stocktake Sheets Report to 30/04/14

Stock Code Count	Description	Unit Bin

-----*		
Cat... New Brass Hollow		
ZH112 (4.76mm Brass Hex 385 Alloy) 3.6m=0.62kg	KG
ZHH148/12.7/352 (3/4"x1/2"Hex Hollow Brass 352) 3.6m=	KG
ZHH152/12.7/352 (13/16"x1/2"Hex Hollow Brass352) 3.6m=7.36kg	KG
ZHH156/12.7/352 (7/8"x1/2"Hex HollowBrass 352) 3.6m=9.24kg	KG
ZHH156/15.8/352 (7/8"x5/8" Hex Hollow Brass 352) 3.6m=7.14kg	KG
ZHH156/17.46/ (7/8"x11/16" Hex Hollow 385 Br) 3.6m=6.08kg	KG
ZHH164/12.7/352 (1" x 1/2" Hex Hollow Brass 352) 3.6m = 13.2 kg	KG
ZHH165/13.07 (1-1/16'x13.7 Hex Hollow Br 352) 3.6m=	KG
ZHH166/15.88 (1-1/8"x5/8" Hex Hollow 352) 3.6m=15.85kg	KG
ZHH167/15.88 (1-3/16'"x5/8 Hex Hollow 385) 3.6m= 17.90kgs	KG
ZHH168/19.05 (1-1/4"x3/4" Hex Hollow 360) 3.6m=18.10kgs	KG

ZHH169/25.4 352 (33.34 x 25.4 Hex Hollow 352) 3.6 metres= 14.10 kgs	KG
ZHH169/25.40 (1-5/16" x 1" Hex Hollow385) 3.6m= 14.10 kgs	KG
ZHH169/26.50 (1-5/16" x 26.50 Hex Hollow 385) 3.6m=12.8 kgs	KG
ZHH172/19.05 (1-1/2"x3/4"Hex HollowBrass 352) 3.6m=29.66kg	KG
ZHH172/25.4/352 (1-1/2"x1"Hollow Hex Brass 352) 3.6m=22.90kg	KG
ZHH172/30.1/352 (1-1/2" x 30.1 Hex Hollow Brass) 3.6m= 16.64 kgs	KG
ZHH176/30 (1-3/4" x 30mm Hex Hollow Brass) 3.30m=27.84 kg	KG
ZHH180/22.23 (2"x 7/8" Hex Hollow Brass 385) 3.6m=	KG
ZHH184/28.58 (2-1/4" x 1-1/8" Hex Hollow 486) 1.8m=33.17 kgs	KG
ZHMH022/015 (22 x 15 Hex Hollow Brass 385) 3.6m=7.44kgs	KG
ZHMH023/013 (23 x 13 Hex Hollow Brass 385) 3.1metre=8.66 kg	KG
ZHMH026/013 (26x13 Hex Hollow Brass 385) 3.15 Metre = 12.08kg	KG
ZHMH026/019 (26x19 Hex Hollow Brass 385) 1metre=2.644kg 3.6m=9.52kg	KG
ZHMH027/015	27x15 Hex Hollow Brass 385	KG

()	3.6m=13.7kgs	3.19m=
ZHMH027/019	27x19 Hex Hollow Brass 385	KG	
()	3.6m=10.86 kgs	3.19m=
ZHMH029/018	29x18 Hex Hollow Brass 385	KG	
()	3.6 Metre= 14.35 kgs	
ZHMH032/018/352	32mmx18mm Hex Hollow Brass 352	KG	
()	3.6m=19.32kg	
ZHMH032/019	32x19 Hex Hollow Brass 385	KG	
()	3.6m=18.20 kgs	
ZHMH032/019/352	32mm x19mm Hex Hollow 352	KG	
()	3.6m=18.20 kgs	
ZHMH035/19.05	35x19.05 Hex Hollow Brass 352	KG	
()	3.6m=23.78kg	
ZHMH036/20.00	36mm x20mm Hex Hollow 486 Al	KG	
()	3.6m=24.36 kgs	
ZH0H176/22.3	1-3/4"x22.23 Octagon Hollow 38	KG	
()	1.30-2.36 Metres	
ZH0H178/25.4	1-7/8"x1"Octaganol Hollow 385	KG	
()	2.4 Metres= 28.16 kgs	
ZH0H178/31.75	1-7/8"x1-1/4 Octaganol Hol 385	KG	
()	3.6m=33.08kg	
ZMR020.8/15.5	20.8mm x 15.5 Round Hollow 352	KG	
()	3.6m=4.60 kg	
ZMR020.9/14.	20.9 x14.2mm Round Hollow 352	KG	
()	3.6m=5.86kgs	
ZMR023/013	23mmx13mm Hollow Round Brass	KG	
()	3.19m=7.80kgs	

ZMR025.4/1.22 (25.4mm x1.22mm Round Brass Tub KG) 5.5m= kgs hard drawn
ZMR025.4/19.65 (25.4mx19.65mm Hollow Rnd Brass KG) 3.6m=6.35kgs
ZMR025.4/19.65/ (25.4x19.65 Round Hollow 352 KG) 3.6m=6.35kgs
ZMR026/013 (26x13 Hollow Round Brass 385 KG) 1metre= 3.36kg 3.07 metre leng
ZMR026/019 (26x19 Hollow Round Brass 385 KG) 3.6m=7.8kgs
ZMR026/020 (26mmx20 Hollow Round Brass 385 KG) 3.6m=6.529 kg
ZMR026/023 (26x23 Hollow Round Brass 385 KG) 1metre=
ZMR029/015 (29x15 Hollow Brass 385 KG) 3.6m=14.86kgs
ZMR029/015/352 (29mmx15mm Round Hollow Bar 352 KG) 3.0 Metres=12.5 kgs
ZMR029/019 (29x19 Hollow Round Brass 385 KG) 3m=9.78 kg
ZMR032/023 (32x23 Hollow Round Brass 385 KG) 3.6m = 11.94kgs
ZMR032/023/352 (32 x23 Hollow Round Brass 352 KG) 3.6m= 11.94 kgs
ZMR032/024 (32 x 24 Hollow Round Brass 385 KG) 3.6m = 10.90 kg
ZMR033.0/25.4	33.0mm x 25.4 Hollow Round 385 KG

()		
		3.6m=	
ZMR034/27	34mm x 27mm Round Hollow Bar		KG
()		
		3.6m=10.576 kgs	385 Alloy
ZMR035.56/19.05	35.56x19.05 Holl. Rnd Brass		385 KG
()		
		3.65m= 21.65 kg	
ZMR035/019	35x19 Hollow Round Brass		385 KG
()		
		3.6m=20.82kgs	
ZMR035/019/352	35mmx19mm Holl. Rnd Brass		352 KG
()		
		3.6m=21.24kg	
ZMR035/027/385	35mm x27mm Hollow Round		KG
()		
		3.6m=11.72 kg	
ZMR036/032	36 x 32 HollowBar		385 KG
()		
		3.6m=10.04 kg	
ZMR038/018	38x18 Hollow Round Brass		385 KG
()		
		3.6m=27.00kgs	
ZMR038/025	38x25 Round hollow Brass		385 KG
()		
		2.495.00m = 13.9kg	
ZMR038/032	38mm x32 Round Hollow Bar		385 KG
()		
		3.6m=10.80 Kgs	
ZMR039.69/28.58	39.69mm x28.58 Brass Hollow		352 KG
()		
		3.6m=18.39kgs	
ZMR040/032	40mm x 32mm Hollow Round		385 KG
()		
		3.6m = 13.611	
ZMR042.86/33.34	42.86mmx33.34mmRound Hollow		352 KG
()		
		3.6m=	
ZMR042/023	42x23 Hollow Round		385 Brass KG
()		
		3.2metre=26.52kgs	

ZMR044/025 (44x25 Hollow Round 385 Brass) 3.6m= 32.80kgs	KG
ZMR050/025 (50x25 Hollow Round385 Brass) 2.4m=30.16 kgs	KG
ZMR050/025/352 (50mmx25mmRound Hollow 352) 3.6m=	KG
ZMR054/029 (54x29 Hollow Round 385 Brass) 3.6m=50kgs	KG
ZMR054/045 (54x45 Hollow Round 385 Brass) 1.2m=7.39 kg	KG
ZMR057/029 (57x29 Hollow Round 385 Brass) 3.6m=65.71kgs	KG
ZMR093/60 (93 x60 Round Brass Hollow385) 1.0 Metre=35.3 kgs	KG
ZMR117/59 (117 x 59 Round Hollow Brass385) 1.0 Metre=72.5 kgs	KG
ZMR117/96 (117mmx 96mmRound Hollow Brass) 1.0 Metres=35.64 kgs	KG
ZMR117/98 (117 x98 Round Hollow Brass 385) 1.0 Metre=32.2 kgs	KG
ZMR128/77 (128 x 77 Round Hollow Brass385) 1.0 Metre=80 kgs	KG
ZMR158/98 (158 x 98 Round Hollow Brass385) 1.0 Metre=110.6kgs	KG
ZMR167/126 (167 x126 Round Brass Hollow385) 1.0 Metre=90.2 kgs	KG
ZMR194/120	194 x120 Round Hollow Brass385	KG

()		
		1.0 Metre=167 kgs	
ZMR194/129	194 x129 Round Hollow Brass	385 KG	
()		
		1.0 Metre= 152.5 kgs	
ZMR206/151	206 x151 Round Hollow Brass	385 KG	
()		
		1.0 Metre =144.8 kgs	
Z0124/0.91	3/8"x.953mm Brass Tube	KG	
()		
		4.4m=.960 kgs	
Z0124/1.22	3/8" x 1.22mm Brass Tube	259 KG	
()		
		5.5m=1.49 kgs	
Z0148/.91 HARD	3/4"x.91mm Brass Hollow Tube	KG	
()		
		4.0 metres=1.80 Kgs Hard Drawn	
Z0148/0.91	3/4" x.91mm Brass Tube	260 1/4 KG	
()		
		4.0m= 1.822 kgs	
Z0148/1.22	3/4"x 1.22mm Round Brass Tube	KG	
()		
		4.4 Metres=2.58 kgs	
Z0148/11.51/352	3/4"x11.51Hollow Rnd Brass	352 KG	
()		
		3.6m=5.50kg	
Z0148/12.7/352	3/4"x1/2" Hollow Rnd Brass	352 KG	
()		
		3.6m=4.86kg	
Z0148/9.525/352	3/4"x3/8" Hollow Round	352 KG	
()		
		3.6m=	
Z0152/11.91/352	13/16"x11.91mmHollow Round	352 KG	
()		
		3.6m=6.88kg	
Z0152/11.91/385	13/16" x 11.91 Hollow Round	385 KG	
()		
		3.6m=6.88 kgs	
Z0152/13.5	13/16"x13.5Holl. Rnd Brass	385 KG	
()		
		3.6m = 5.917 kg	

Z0152/15.88/352 (13/16" x 5/8" Hollow Round 352 KG) 3.6m=4.40 kgs
Z0152/15.88/385 (13/16" x 5/8" Hollow Round Bar KG) 3.6m=4.40 kg
Z0152/19.05/385 (13/16" x 19.05" Hollow Round Bar KG) 3.6m=
Z0156/12.7 (7/8" x 1/2" Hollow Rnd Brass 385 KG) 3.6m=8.2kgs
Z0156/12.7/352 (7/8" x 1/2" Hollow Rnd Brass 352 KG) 3.6m= 8.2kgs
Z0156/15.88/385 (7/8" x 5/8" Hollow Rnd Brass 385 KG) 3.6m=5.98kg
Z0164/12.07 (1" x 1/2" Hollow Rnd Brass 385 KG) 3.6m=11.78kg
Z0164/12.07/352 (1" x 1/2" Hollow Round Brass 352 KG) 3.6m=11.78kgs
Z0164/15.88 (1" x 5/8" Hollow Round 352 Alloy KG) 3.6m= 9.5kg
Z0164/19.05 (1" x 3/4" Hollow Round 385 Brass KG) 3.605m=7.1 kgs
Z0166/12.7 (1-1/16" x 12.7mm Round Hollow KG) 3.6m=13.58 kg
Z0167/15.88 (1-3/16" x 5/8" Hollow Brass 385 KG) 3.6m=15.536kg
Z0167/23.81 (1-3/16" x 15/16" Hollow Round 385 KG) 3.6m=8.315kgs
Z0167/24.61/352	1-3/16" x 24.61mm Round Hollow KG

()
3.6m=7.79 kg

Z0168/14.29/352 1-1/4"x 9/16"Hollow Brass/352 KG
()
3.6m=19.32kg

Z0168/19.05 360 1-1/4" x 3/4" Round Hollow 360 KG
()
3.6m = 15.7 kg

Z0170/19.0/686 1-3/8"x19.0mm Round Hollow686 KG
()
3.6m=20.2kgs

Z0170/19.05/352 1-3/8" x 19.05 Round Hollow KG
()
3.6m=20.256 kg

Z0170/28.58/385 1-3/8" x 28.58mm Round Hollow KG
()
3.6m=11.0 kgs

Z0172/19.05/385 1-1/2" x19.05'' Brass Hollow KG
()
3.6m=25.72 kgs

Z0172/25.4/352 1-1/2"x1"Hollow Brass 352 KG
()
3.6m=19.75 kgs

Z0175/33.34/352 1-11/16"x33.34 Hollow Round352 KG
()
3.6m=

Z0176/30.00 1-3/4"x 30mm Round Hollow 385 KG
()
3.6m= 26.80 kgs

Z0178/41.28/352 1-7/8"x1-5/8"Round Hollow 352 KG
()
3.6m = 14.11kg

Z0180/19.05 385 2"x3/4" Hollow Round Brass 385 KG
()
2.0m= 29.4kgs

Z0182/28.58/352 2-1/8"x1-1/8" Hollow Round 352 KG
()
3.6m=50.74kg

Z0182/28.58/360 2-1/8"x1-1/8" Hollow 360 Alloy KG
()
1.812m= 25.2774 kg

Z0182/44.45 (2-1/8"x 1-3/4" Hollow 385) 1.2m = 7.56 kg	KG
Z0186/51.18/352 (2-3/8"x51.18Hollow Round 352) 3.6m=44.3kg	KG
X120/6.35/385 (7.93mm x6.35 Flat Bar 385Alloy) 3.6m = 1.52 kg	KG
X132/8/385 (1/2"x8mm Section 385 Alloy) 3.6m=3.02kg Breadloaf	KG
X132/9.53 (1/2" x 3/8"Flat Bar385) 3.6 m= 3.645 kgs	KG
X136/11.0/385 (9/16"x11.0mm Flat Bar 385) 3.6m=4.8kgs	KG
X136/12.7/360 (9/16x1/2" Flat Bar 360) 3.6m=	KG
X140/9.53 (5/8"x 3/8" Flat Bar385) 3.6m=4.54kg	KG
X148/12.7/385 (3/4"x1/2" Flat Bar 385) 3.6m = 7.29	KG
X148/6.35/385 (3/4"x1/4" Flat 385) 3.6m=	KG
X148/9.53 (3/4"x 3/8"Flat Bar 385) 3.6 metres= 5.53 kgs	KG
X164/12.7/385 (1"x1/2" Flat Bar 385) 3.6m=9.75kg	KG
X164/15.88 (1"x5/8" Flat Bar) 3.6m= 12.30kg 4.025m=13.58kgs	KG
X164/19.05	1"x3/4"Flat Brass Bar 385	KG

()	3.6m=14.63kg	
X164/9.53	1"x3/8 Flat Bar385		KG
()	3.6m=7.18kg	
X166/12.7	1-1/8"x1/2"Flat Bar		KG
()	3.6m= 10.96kg	
X166/15.88	1-1/8'' x 5/8'' Flat Brass Bar		KG
()	3.6m= 13.67kg	
X172/15.88	1-1/2" x 5/8" Flat Brass 385		KG
()	3.6m=18.64kg	
X172/25.4	38.1mm x 25.4mm Flat Brass 385		KG
()	3.6m= 29.15 kg	
X176/15.88	44.45mm x 15.88mm Flat Bar 385		KG
()	3.6m= 21.261 KG	
X19.00/16.0/385	19mmx16mm Flat Bar 385		KG
()	3.6m=9.22kg	
X19.4/6.00/360	19.4mm x 6.00mm Flat Bar 360		KG
()	3.6m=	
X19.4/6.00/385	19.4mmx6.0mm Flat 385		KG
()	3.6m=3.45kgs	
X192/12.05 360	3"x1" Flat Bar 360 Alloy		KG
()	3.26m=52.8 kgs	
X192/12.05 385	3"x1"Flat Bar 385		KG
()	3.6m= 58.3kgs	
X196/12.05/360	3-1/4"x1"Flat Bar 385		KG
()	3.6m=64.125kgs	
X20/8/352	20mmx8mm Flat Bar 352		KG
()	3.6m=	

X20/8/385 (20mmx8mm Flat Bar 385) 3.6m=4.819 kg	KG
X216/98/385 (135mm x 98mm Flat Brass Bar) 2.01 Metres= 223.61 kgs	KG
X24/10/385 (24mmx10mm Section Brass385) 3.6m=6.86kg	KG
X25/8/385 (25mm x 3mm Flat Bar385) 3.6 m = 2.29kg	KG
XS12.7/9.53/360 (1/2"x3/8"x1/16"Angle 360) 3.6m=	KG
XS19.5/12.7/360 (3/4"x1/2"x1/16"Angle 360) 3.6m=	KG
XS19.5/19.5/360 (3/4"x3/4"x1/16"Angle 360) 3.6m=	KG
XS25.4/25.4/360 (1"x1"x1/16"Angle 360) 3.6m=	KG
ZHMF136/98 (136mmx98mmx70ID Rect Hollow385) 2.01 Metres=159.80 kgs	KG
ZHMF154/70 (154mmx70mmID Square Hollow 385) 1.01 Metre=169.68 kgs	KG
ZHMF184/145 (184mm x 145mm Square Brass Hol) 1 metre=144 kgs	KG
ZH0140 (5/8"Octaganol Brass 385 Alloy) 3.6m = 6.37kg	KG
ZH0148 (3/4" Octaganol Brass 385 Alloy) 3.6m = 9.17kg	KG
ZH0178	1-7/8"Octaganol Brass Bar	KG

()	3.6m=57kg	
ZR	Special Order Brass Section		KG
()		
ZS114/360	7/32 Square Brass 385		KG
()	3.6 m=.944 kg	
ZS116	1/4" Square Brass 385		KG
()	3.6m= 1.23 kg	
ZS116/360	1/4" Square Brass 360 Alloy		KG
()	3.6m= 1.23 kg	
ZS120	5/16" Square Brass 385 Alloy		KG
()	3.6m= 1.92kg	
ZS124/360	3/8" Square Brass 360 Alloy		KG
()	3.6m= 2.77 kg	
ZS128/385	7/16" Square Brass 385 Alloy		KG
()	3.6m=3.76kg	
ZS132	1/2" Square Brass 385		KG
()	3.6m = 4.92kg	
ZS132/360	1/2" Square Brass 360 Alloy		KG
()	3.6m= 4.92 kg	
ZS136/360	14.29mm Brass Square 360 Alloy		KG
()	3.6m=6.22 kgs	
ZS136/385	9/16" Square Bar 385 Alloy		KG
()	3.6m= 6.22 kg	
ZS140	5/8" Square Bar 385 Alloy		KG
()	3.6m= 7.68kg 4.0m=8.53kgs	
ZS148	3/4" Square Brass Bar 385 Alloy		KG
()	3.6m = 11.07 kg	

ZS148/360 (3/4" Square Brass 360 Alloy) 3.6m= 11.07kg	KG
ZS152/385 (17.46mm Square Bar 385Alloy) 3.6m=	KG
ZS156 (7/8" Square Brass 385) 3.6m= 15.00kg	KG
ZS160 (15/16"Square Brass 385 Alloy) 3.6m=17.20kg	KG
ZS164 (1" Square Brass 385) 3.6m = 19.64 kg	KG
ZS164/360 (1" Square Bar 360 Alloy) 3.6m= 19.67kg	KG
ZS165 (1-1/16" Square Brass 385) 3.6m =22.10kg	KG
ZS166 (1-1/8" Square Brass Rod) 3.6m=24.60kgs	KG
ZS168 (1-1/4" Square Bar 385 Alloy) 3.6m = 30.74kg	KG
ZS172 (1-1/2" Square Brass 385) 3.6m = 44.26kg	KG
ZS172/360 (1-1/2" Square Brass 360) 3.6m=44.26kg	KG
ZS180 (2"Square Brass 385 Alloy) 3.6m=78.33Kg 2.0m=43.52 kgs	KG
ZS184 (2-1/4"Square Brass Bar) 3.6m=98.4 kgs	KG
ZS188/385 (2-1/2' Square Brass Rod 385)	KG

	3.6m=122 kgs	
ZS192/385 (76.2mm Square Brass Bar 385)	KG
	3.0m=146.00 kgs	
ZSM107/385 (107mm Square Brass Bar 385 All)	KG
	2.01m= 194.97 kgs	
ZSM15.24/385 (15.24mm Radial Section 385)	KG
	3.6m=	
ZSM154/385 (154mm Square Brass Bar 385 All)	KG
	1.0m=209.5 kgs	
ZSM19.05/385 (19.05mm Radial Section 385)	KG
	3.6m=	
ZSM3.5/4.7/6.1 (3.5/4.7/6.1mm Profile 385)	KG
	3.0m=	
ZSM37.5/21.5 (37.5 x21.5 Brass Section 385)	KG
	3.6m=16.56 kgs	
ZSM5.08/7.92/9 (5.08/7.92/9.04mm Profile 385)	KG
	3.6m=1.74 Kgs	
ZSM5.18/4.06 (5.18/4.06 Brass Section 385)	
	3.6m=	
ZSM55/39 (55mm x39mm Brass Section 385)	KG
	2.4m=31.13 kgs	
ZSM6262 (20mm Radial Section Brass 385)	KG
	3m = 4.78 kg	
ZSS108/ELBOW (1/8" Elbow Brass 385)	KG
	3.6m= 13.46kg Section 4386	
ZSS108/P6 (1/8" P6 Brass 385)	KG
	3.6m= 16.25kg Section 4668	

ZSS116/ELBOW (1/4" Elbow Brass 385) 3.6m= 21.08kg Section 4422	KG
ZSS116/P6 (1/4" P6 Brass 385) 3.6m= 23.31kg Section 4642	KG
ZSS124/ELBOW (3/8" Elbow Brass 385) 3.6m= 26.66kgs Section 4416	KG
ZSS124/P6 (3/8" P6 Brass 385) 3.6m= 29.41kg Section 4641	KG
ZSS132/ELBOW (1/2" Elbow Brass 385) 2.50 metres=32.66 Kgs Sect4423	KG
ZSS156/ELBOW (22.23/15.9 Elbow) 3.6m= 31.06 kgs Section 4418	KG
ZSS160/ELBOW (15/16" Elbow Brass 385) 3.6m= 13.70kgs Sect 816EM	KG
ZSS168/14.5/ELB (31.75mmx14.50mm Elbow 385) 14.5 3.6m=21.98kg Sect 4422/14	KG
ZSS168/ELBOW (31.75mmx 16.12mm Elbow 385) 3.6m=23.30kg	KG
ZSS174/ELBOW (39.0/14.5 Brass Elbow 385 All) 3.6m= 24.62 kgs Sect NP604	KG
ZSS176/ELBOW (43.66/21.43 Elbow Section 2586) 2.7m=32.66 kgs Section 2586	KG
ZST124/35 (3/8"/35) 3.6m= 27.72kg	KG
ZST34.9/17.5 (34.9/17.5 T Section 385) 3.6m=27.67kgs Section 4411	KG
ZST42.90-T SECT (42.90 x 12.95 T- Section 385)	KG

	3.6m=22.9 kgs	
ZST44.5/T SECT (44.5 x 14.5.0 T- Section 385) 3.6m=26.42 kgs Sect; N04BT	KG
ZST46.80-T SECT (46.80 x 16.0 T- Section 385) 3.6m=30.168 kgs	KG
ZST47.37-T SECT (47.37 x 16.13 T-Section 385) 3.6m= 30.86kgs	KG
ZST47.8/17T/SEC (47.80 x 17.7 T Section 385 All) 3.3m=34.60 kgs Section 4392	KG
ZST57.15/25.79 (57.15/25.79 T Section 385 Allo) 2.0Metre=30.6 kgs Section4406	KG
ZST63.5/19.3 T (63.5/19.3 T Section 385 Alloy) 2.3m=32.5 kgs Section 2526	KG
ZTP176/6061-T6 (1-3/4" Alum Plate 6061-T6)	KG

Cat... New Brass Round & Hex

X172/15.88/352 (38.1mm x15.88mm Flat Bar 352) 3.6m = 18.33 Kgs	KG
ZH114 (7/32" Hex Brass) 3.6m = 0.815kg	KG
ZH116 (1/4" Hex Brass) 3.6m = 1.06kg	KG
ZH118 (9/32" Hex Brass) 3.6m = 1.35kg	KG
ZH120 (5/16" Hex Brass) 3.6m = 1.66kg	KG

ZH122 (11/32" Brass Hex) 3.6m= 2.01kg	KG
ZH124 (3/8" Hex Brass) 3.6m = 2.4kg	KG
ZH124/352 (3/8"Brass Hex 352 Alloy) 3.6m=2.4 kgs	KG
ZH126 (13/32"Hex Brass Bar) 3.6m=2.778 kg	KG
ZH128 (7/16" Hex Brass) 3.6m = 3.26kg	KG
ZH128/352 (7/16" Hex Brass Bar 352 Alloy) 3.6m= 3.26kgs	KG
ZH128/360 (7/16"Hex Bar 360 Alloy) 3.6m= 3.26kg	KG
ZH128/486 (7/16" Hex Brass 486 Alloy) 3.6m=3.26kgs	KG
ZH132 (1/2" Hex Brass 385 Alloy) 3.6m = 4.26kgs	KG
ZH132/352 (1/2"Hex Brass 352 Alloy) 3.6m= 4.26kg	KG
ZH132/360 (1/2" Brass Hex 360 Alloy) 3.6m = 4.26kg	KG
ZH136 (9/16" Hex Brass) 3.6m = 5.39kg	KG
ZH136/352 (9/16" Hex Brass 352 Alloy) 3.6m=5.39kg	KG
ZH136/360 (9/16" Hex Brass 360 Alloy)	KG

	3.6m= 5.39kg	
ZH138 (19/32" Hex Bar)	KG
	3.6m= 6.01kg	
ZH140 (5/8" Hex Brass 385 Alloy)	KG
	3.6m = 6.65kg	
ZH140/352 (5/8" Hex Brass 352 Alloy)	KG
	3.6m=6.65kgs	
ZH140/360 (5/8"Hex Bar/360 Alloy)	KG
	3.6m= 6.65kg	
ZH142/385 (21/32"Hex Brass Bar 385 Alloy)	KG
	3.6m = 7.36kg	
ZH144 (11/16" Brass Hex)	KG
	3.6m=8.04kgs	
ZH144/352 (11/16" Hex Brass 352 Alloy)	KG
	3.6m=8.05kgs	
ZH144/360 (11/16" Hex Brass 360 Alloy)	KG
	3.6m= 8.05kg	
ZH148 (3/4" Hex Brass 385 Alloy)	KG
	3.6m = 9.58kg	
ZH148/352 (3/4 Hex Bar 352 Alloy)	KG
	3.6m=9.54kg	
ZH148/360 (3/4" Hex Bar 360 Alloy)	KG
	3.6m= 9.58kg	
ZH148/686 (3/4" Hex Bar 686 Alloy)	KG
	3.6m= 9.58kg	
ZH152 (13/16" Hex Brass)	KG
	3.6m = 11.25kg	

ZH152/352 (13/16" Hexagon Brass 352 Alloy) 3.6m=11.26kgs	KG
ZH154 (27/32 Hex Brass Bar 385 Alloy) 3.6m=12.275kg	KG
ZH156 (7/8" Hex Brass) 3.6m = 13.04kg	KG
ZH156/352 (7/8" Hex Brass 352 Alloy) 3.6m= 13.04kgs	KG
ZH159 (59/64" Hex Brass Bar) 3.6m=14.5kgs	KG
ZH160 (15/16" Hex Brass) 3.6m= 14.97kg	KG
ZH160/352 (15/16"Hex Brass 352 Alloy) 3.6m=14.97kgs	KG
ZH164 (1" Hex Brass) 3.6m = 17.04kg	KG
ZH164/352 (1"Hex Brass 352 Alloy) 3.6m=17.04kgs	KG
ZH164/486 (1"Hex Brass 486 Alloy) 3.6m=17.04kgs	KG
ZH165 (1-1/16" Hex Brass) 3.6m=19.23kg	KG
ZH165/352 (1-1/16"Hex Brass 352 Alloy) 3.6m=19.23kgs	KG
ZH165/486 (1-1/16" Brass Hex 486 Alloy) 3.6m=	KG
ZH166 (1-1/8" Hex Brass)	KG

	3.6m = 21.56kg	
ZH166/352 (1-1/8"HexBrass 352 Alloy) 3.6m=21.56kgs	KG
ZH166/377 (1-1/8" Hex Brass 377 Alloy) 3.6m= 21.56 kg	KG
ZH167 (1-3/16" Hex Brass 385) 3.6m = 24.02kg	KG
ZH167/352 (1-3/16" Hex Brass Bar 352) 3.6m=24.02kgs	KG
ZH167/486 (1-3/16"Hex Brass 486 Alloy) 3.6m=24.02kgs	KG
ZH168 (1-1/4" Hex Brass 385) 3.6m=26.62 kg	KG
ZH168/352 (1-1/4" Hex Brass 352 Alloy) 3.6m=26.62kgs	KG
ZH169 (1-5/16" Hex Brass 385) 3.6m= 29.35kg	KG
ZH169/352 (1-5/16" Hex Brass 352) 3.6m=29.35 kgs	KG
ZH170 (1-3/8" Hex Brass 385) 3.6m = 32.21kg	KG
ZH170/352 (1-3/8" Hex Brass 352) 3.6m=32.21kgs	KG
ZH172 (1-1/2" Hex Brass 385) 3.6m = 38.33kg	KG
ZH172/352 (1-1/2" Hex Brass 352) 3.6m=38.33 kgs	KG

ZH174 (1-5/8" Hex Brass 385) 3.6m=44.99kg	KG
ZH174/486 (1-5/8" Hex Brass 486) 3.6m=45.26kg2.51m=31.56 kgs	KG
ZH175 (1-11/16"Hex Brass 385 Alloy) 3.6m=	KG
ZH176 (1-3/4" Hex Brass 385) 3.6m = 52.18kg	KG
ZH176/352 (1-3/4" Hex Brass 352) 3.6m=52.18kgs	KG
ZH177 (1-13/16' Hex Brass 385 Alloy) 3.6m=	KG
ZH178 (1-7/8" Hex Bar 385) 3.6m = 59.9kg	KG
ZH178/352 (1-7/8" Hex Brass 352 Alloy) 3.6m=59.9kgs	KG
ZH178/486 (1-7/8"Hex Brass 486 Alloy) 3.6m=59.9kgs	KG
ZH180 (2" Hex Bar 385) 3.6m = 68.25kg	KG
ZH180/352 (2"Hex Brass Bar 352 Alloy) 3.6m=68.15kgs	KG
ZH184 (2-1/4" Hex Bar 385) 3.6m=86.25 kg	KG
ZH184/352 (2-1/4" Hex Brass Bar 352 Alloy) 3.6m=86.25 kgs	KG
ZH184/486 (2-1/4" Hex Brass 486)	KG

	3.6m=85.16kgs	
ZH186/352 (2-3/8"Hex Brass Bar 352 Alloy) 3.6m=94.94kg	
ZH188 (2-1/2" Hex Rod 385) 3.6 M= 106.48kg	KG
ZH188/352 (2-1/2"Hex Brass Bar 352 Alloy)	KG
ZH190 (2-3/4" Hex Bar 385) 3.6m = 128.84 kg	KG
ZH190/352 (2-3/4" Hex Brass Bar 352 Alloy) 3.6m= 128 kgs	KG
ZH1960/352 (3-1/4" Hex Brass Bar 352 Alloy) 2.49m=124.8kgs 1.96m=98.21kgs	KG
ZHM10 (10mm Hex Brass Bar 385) 3.6m=2.65 kgs	KG
ZHM12 (12mm Hex Brass Bar 385 Alloy) 3.6m=3.756 kg	KG
ZHM13.34/385 (13.34mm Hex Brass Bar) 3.6m=4.642 kg	KG
ZHM14 (14mm Hex Brass 385) 3.6 m = 5.12 kg 2.5m= 3.55 kg	KG
ZHM14/352 (14mm Hex Brass 352) 3.6m = 5.17 kg	
ZHM17 (17mm Hex Brass 385) 3.6m=7.63kg	KG
ZHM17/360 (17mm Hex Brass 360 Alloy) 3.6m=7.63kg	KG
ZHM18/385	18mm Hex Brass Bar 385 Alloy	KG

()	
	3.6m=	
ZHM19	19mm Hex Brass 385	KG
()	
	3.6m = 9.53kg	
ZHM23.24/352	23.24mm Hex Brass Bar 352	KG
()	
	3.6m=21.41kgs	
ZHM24	24mm Hex Brass Bar 385 Alloy	KG
()	
	3.6m= 15.30kgs	
ZHM30.28/352	30.28mm Hex Brass Bar 352 Allo	KG
()	
	3.6m=23.917 kg	
ZHM36/486	36mm Hex Brass Bar 486 Alloy	KG
()	
	3.6m= 33.83kgs	
ZHM42.21/352	42.21mm Hex Brass Bar 352	KG
()	
	3.6m=46.47kg	
ZHM51.6/385	51.69mm Hex Bar 385 Alloy	KG
()	
	3.6m=71.0kgs	
ZM002	2mm Round Brass 385 Alloy	KG
()	
	3.0m=.0793kg	
ZM003.0/353	3mm Round Brass 353 Alloy	KG
()	
	3.6m= .215 kg	
ZM003.5/353	3.5mm Round Brass Bar353 Alloy	KG
()	
	3.6m=0.32kg	
ZM004	4mm Round Brass Bar 385 Alloy	KG
()	
	3.6m=.380 kgs	
ZM006	6mm Round Brass	KG
()	
	3.6m = 0.862kg 385 Alloy	
ZM007	7mm Round Brass 385 Alloy	KG
()	
	3.6m=1.18kg	

ZM008 (8mm Round Brass Bar) 3.6m=1.52kg	KG
ZM010 (10mm Round Brass 385) 3.6m = 2.4kg	KG
ZM012 (12mm Round Brass Bar 385) 3.6m=3.45 kg	KG
ZM012.05 (12.05mm Round Brass Bar 385) 3.6m=3.48kg	KG
ZM012/360 (12mm Round Brass Bar 360 Alloy) 3.6m=3.45 kgs	KG
ZM014 (14mm Round Brass Rod 385) 3.6m= 4.7kg	KG
ZM014.65/352 (14.65mm Round Brass 352 Alloy) 3.6m=	KG
ZM015 (15mm Round Brass bar 385 Alloy) 3.6m=	KG
ZM016 (16mm Round Brass Rod 385) 3.6m = 6.13kg	KG
ZM016.23/352 (16.23mm Round Brass Bar 352) 3.6m= 6.29kg	KG
ZM016/352 (16mm Round Brass 352 Alloy) 3.6m=6.13kgs	KG
ZM016/686 (16mm Diameter Aluminium Bronze) 3.6m=5.96 Kgs	KG
ZM017 (17mm Round Brass 385 Alloy) 3.6m=6.84 kg	KG
ZM018	18mm Round Brass Bar 385	KG

()		
		3.6m=7.7kgs	
ZM019	19mm Round Brass Bar 385		KG
()		
		3.6m= 8.65 Kg	
ZM020	20 mm Round Brass Bar 385		KG
()		
		3.6m= 9.58kg	
ZM020/352	20mm Brass Rod 352 Alloy		KG
()		
		3.65m=10 kg	
ZM020/360	20mmRound Brass Bar 360 Alloy		KG
()		
		3.6m= 9.58kg	
ZM020/686	20mm Round Brass 686		KG
()		
		3.6m =	
ZM022	22mm Round Brass 385		KG
()		
		3.6m = 11.83kg	
ZM023	23mm Round Brass 385 Alloy		KG
()		
		3.6m--=12.7kgs	
ZM023/377	23mm Round Brass Bar 377 Alloy		KG
()		
		3.6m=	
ZM025	25mm Round Brass Bar 385		KG
()		
		3.6m= 14.97kg	
ZM025/486	25mm Round Brass Bar 486 Alloy		KG
()		
		3.6m= 14.97kg	
ZM026/352	26mm Round Brass Rod 352 Alloy		KG
()		
		3.6m= 16.33kg	
ZM028/377	28mm Diameter Forging Brass377		KG
()		
		3.6m=	
ZM030	30mm Round Brass 385		KG
()		
		3.60m = 21.54kgs	

ZM030/352 (30mm Round Bar 352 Alloy) 3.65m=21.80kg	KG
ZM032 (32mm Round Brass Bar 375 Alloy) 3.6m=	KG
ZM034/385 (34mm Diameter Brass Bar) 3.6m=27.55kg	KG
ZM036/352 (36mm Round Bar 352 Alloy) 3.6m=31.16kgs	KG
ZM036/486 (36mm Round Bar 486 Alloy) 3.65m= 31.6kg	KG
ZM039.5/352 (39.5mm Round Brass 352 Alloy) 3.65m=38.33kg	KG
ZM039/352 (39mm Round Brass 352 Alloy) 3.6m = 38.45kg	KG
ZM040 (40mm Round Brass Bar 385) 3.65m= 38.74kgs	KG
ZM040/486 (40mm Round Brass 486 Alloy) 3.6M = 38.71kgs	KG
ZM042 (42mm Round Brass Bar 385 Alloy) 3.6m=41.73 kg	KG
ZM042/352 (42mm Round Brass Bar 352 Alloy) 3.6m=41.73 kg	KG
ZM042/486 (42mm Round Brass Bar 486 Alloy) 3.6m=	KG
ZM045 (45mm Round Brass 385 Alloy) 3.6m=48.00kgs	KG
ZM045/352	45mm Round Brass 352 Alloy	KG

()	3.6m=48.00 kgs	
ZM050/352	50mm Round Brass Bar 352 Alloy	KG	
()	2.5m=	
ZM060/352	60mm Brass Round 352 Alloy	KG	
()	3.6 m= 85.17 kg	
ZM060/385	60mm Round Brass Bar 385 Alloy	KG	
()	2.5m= 59.2 kgs	
ZM070486	70mm Diameter Brass 486 Alloy	KG	
()	3.6m=118 kgs	
ZM072/352	72mm Round Brass 352 Alloy	KG	
()	3.6m=126 kgs	
ZM073/377	73mm Round Brass 377 Alloy	KG	
()	3.6m = 124kg	
ZM083	83mm Diameter Brass 385 Alloy		
()	3.6m=163 kgs	
ZM086/352	86mm Round Brass Bar 352 Alloy	KG	
()	3.6m=	
ZM090/352	90mm Diameter Brass 352 Alloy	KG	
()	3.60m= 193.5 kgs	
ZM090/385	90mm Diameter Brass 385 Alloy	KG	
()	3.6 metres=191.62 kgs	
ZM104.78/352	104.78mm Round Bar 352 Alloy	KG	
()	2.4m=	
ZM107	107mm Round Brass 385	KG	
()	2.39m = 183.00 Kgs	
ZM114	114mm Round Brass 385	KG	
()		

ZM115 (115mm Round Brass Ba 385 Alloy) 1.92m= 171.5 kgs	KG
ZM116 (116mm Round Brass) 1m = 90kg	KG
ZM118 (118mm Diameter Brass Bar 385) 2.4 Metres=223.20 Kgs	KG
ZM127 (127mm Round Brass 385) 1m =106 kg	KG
ZR108 (1/8" Round Brass 385) 3.6m = .241kg	KG
ZR110 (5/32" Round Brass 385 Alloy) 3.6m=0.38 kgs	KG
ZR112 (3/16" Round Brass) 3.6m = 0.543kg 385 Alloy	KG
ZR112/352 (3/16"Round Brass 352 Alloy) 3.6m=.543kgs	KG
ZR112/360 (3/16"Round Bar 360 Alloy) 3.6m=.543kgs	KG
ZR114 (7/32" Round Brass 385) 3.6m = 0.74 kg	KG
ZR116 (1/4" Round Brass 385) 3.6m = 0.97 kg	KG
ZR116/352 (1/4"Round Brass 352 Alloy) 3.6m=0.97 kgs	KG
ZR116/360 (1/4" Round Brass 360 Alloy) 3.6m=.97 kgs	KG
ZR118 (9/32" Round Brass 385)	KG

	3.6m = 1.22kg	
ZR120 (5/16" Round Brass 385)	KG
	3.6m = 1.51kg	
ZR120/352 (5/16" Round Brass 352 Alloy)	KG
	3.6m=1.51 kgs	
ZR120/360 (5/16"Round Brass 360 Alloy)	KG
	3.6m= 1.51kgs	
ZR120/377 (5/16"Round Brass 377 Alloy)	KG
	3.6m= 1.51kg	
ZR122 (11/32" Round Brass 385)	KG
	3.6m=1.83kg	
ZR123 (9.13mm Diameter Round Brass385)	KG
	3.6m=	
ZR124 (3/8" Round Brass 385)	KG
	3.6m = 2.17kg	
ZR124/352 (3/8' Round Brass 352 Alloy)	KG
	3.6m=2.17kgs	
ZR124/360 (9.53mm Diamerer 360 Alloy)	KG
	3.6m= 2.17 kgs	
ZR126 (13/32" Round Brass 385)	KG
	3.6m= 2.55kg	
ZR128 (7/16" Round Brass 385)	KG
	3.6m = 2.96kg	
ZR128/352 (7/16"Round Brass 352 Alloy)	KG
	3.6m=2.96 kgs	
ZR128/360 (7/16'Round Brass 360 Alloy)	KG
	3.6m= 2.96kg	

ZR132 (1/2" Round Brass 385) 3.6m = 3.86kg	KG
ZR132/352 (1/2" Round 352 Alloy Brass) 3.6m = 3.86kg	KG
ZR132/353 (12.7mm Diameter 353 Alloy) 3.6m=	KG
ZR132/360 (1/2" Round 360 Alloy Brass) 3.0m = 3.22 Kgs	KG
ZR136 (9/16" Round Brass 385) 3.6m = 4.89kg	KG
ZR136/352 (9/16"Round Brass Rod 352 Alloy) 3.6m=4.89kg	KG
ZR136/360 (9/16"Round Brass 360 Alloy) 3.6m=4.89 kg	KG
ZR136/377 (9/16"Round Brass 377 Alloy) 3.6m= 4.89kg	KG
ZR136/486 (9/16" Round Brass 486 Alloy) 3.6m=	KG
ZR136/686 (9/16: Round Alum Bronze 686) 3.6m=	KG
ZR138 (19/32" Round Brass 385) 3.6 m= 5.5kg	KG
ZR140 (5/8" Round Brass 385) 3.6m = 6.04kg	KG
ZR140/352 (5/8" Brass Round 352 Alloy) 3.6m = 6.04kg	KG
ZR140/353 (15.88mm Diameter 353 Brass)	KG

	3.6m=	
ZR140/360 (5/8"Round Brass 360 Alloy) 3.6m = 6.04kg	KG
ZR144 (11/16" Round Brass 385) 3.6m = 7.3kg	KG
ZR144/352 (11/16"Round Brass 352 Alloy) 3.65m= 7.55kg	KG
ZR144/377 (11/16"Round Brass Bar 377) 3.6m= 7.30 kg	KG
ZR144/686 (11/16"Round Manganese Bronze) 3.6m= 7.44 kgs	KG
ZR148 (3/4" Round Brass 385) 3.6m = 8.69kg	KG
ZR148/352 (3/4"Round Brass 352 Alloy) 3.6m=8.69kgs	KG
ZR148/486 (3/4"Round Brass Bar 486 Alloy) 3.65m=	KG
ZR152 (13/16" Round Brass 385) 3.6m = 10.2kg	KG
ZR152/352 (13/16"Round Bar 352 Alloy) 3.60m= 10.20kg	KG
ZR152/377 (13/16" Round Bar 377 Alloy) 3.6m=10.2 kgs	KG
ZR154 (27/32" Brass Round 385) 3.6m=11.kg	KG
ZR156 (7/8" Round Brass 385) 3.6m = 11.83kg	KG

ZR156/352 (7/8" Round Bar 352 Alloy) 3.6m= 11.83 kg	KG
ZR156/353 (7/8" Round 353 Brass) 3.6m = 11.83kg	KG
ZR160 (15/16" Round Brass 385) 3.6m Length=13.58kg	KG
ZR160/352 (15/16" Round Brass 352 Alloy) 3.6m = 13.58kg	KG
ZR164 (1" Round Brass 385) 3.6m = 15.45kg	KG
ZR164/352 (1" Round Brass 352 Alloy) 3.6m = 15.45kg	KG
ZR164/377 (1" Round Brass 377 Alloy) 3.65m=15.47 kg	KG
ZR164/486 (1" Round Brass Bar 486 Alloy) 3.6m=	KG
ZR165 (1-1/16" Round Brass 385) 3.6m=17.44kg	KG
ZR165/352 (1-1/16" Round Bar 352 Alloy) 3.60m= 17.44 kgs	KG
ZR165/377 (1-1/16"Round Brass 377 Alloy) 3.6m=	KG
ZR166 (1-1/8" Round Brass 385) 3.65m = 20.82 kgs	KG
ZR166/352 (1-1/8" Round Bar 352 Alloy) 3.6m=19.55kgs	KG
ZR166/377 (1-1/8" Round 377 Alloy)	KG

	3.65m=20.08kgs	
ZR166/486 (1-1/8" Round Brass 486 Alloy) 3.60m=	KG
ZR167 (1-3/16" Round Brass 385) 3.6m = 21.816 Kgs	KG
ZR167/352 (1-3/16" Round Brass 352) 3.6m = 21.79kg	KG
ZR168 (1-1/4" Round Brass 385) 3.6m = 24.14kg	KG
ZR168/352 (1-1/4"Round Brass 352 Alloy) 3.65m=24.14kg	KG
ZR168/377 (1-1/4"Round Brass 377 Alloy) 3.65m=24.14 kgs	KG
ZR168/486 (1-1/4" Round Brass 486 Alloy) 3.6m=	KG
ZR169 (1-5/16" Brass Round 385) 3.6m= 26.62 Kg	KG
ZR169/352 (1-5/16" Round Brass 352 Alloy) 3.6m= 26.62kgs	KG
ZR170 (1-3/8" Round Brass 385 Alloy) 3.6m Length=29.21kg	KG
ZR170/352 (1-3/8"Round 352 Alloy) 3.6m= 29.21kg	KG
ZR171 (1-7/16"Round Brass 385 Alloy) 3.6m= 31.93kg	KG
ZR171/377 (1-7/16"Round Brass 377 Alloy) 3.6m=31.93kg	KG

ZR172 (1-1/2" Round Brass 385) 3.6m = 34.76kg	KG
ZR172/352 (1-1/2" Brass Round 352 Alloy) 3.6m = 34.76kg	KG
ZR172/377 (1-1/2" Round Brass 377 Alloy) 3.6m=	KG
ZR172/486 (1-1/2" Round Brass 486 Alloy) 3.6m=	KG
ZR174 (1-5/8" Round Brass 385) 3.6m=40.31 kgs	KG
ZR174/352 (1-5/8"Round Brass 352 Alloy) 3.6m=40.8kgs	KG
ZR174/377 (1-5/8"Brass Round 377 Alloy) 3.65m= 40.8kg	KG
ZR174/486 (1-5/8" Round Brass Bar 486 All) 3.6m=	KG
ZR176 (1-3/4" Round Brass 385) 3.6m = 47.32kg 3.02m=39.69 kgs	KG
ZR176/352 (1-3/4" Round 352 Alloy) 3.65m= 47.98 kg	KG
ZR176/377 (1-3/4" Round Brass 377 Alloy) 3.6m=47.98 kgs	KG
ZR178 (1-7/8 Round Brass 385) 3.0m=45.32kg 3.6m=54.4 kgs	KG
ZR178/352 (1-7/8"Round Bar 352 Alloy) 3.60 metres= 54.45kgs	KG
ZR178/377 (1-7/8'Round Brass 377 Alloy)	KG

	3.6m=54.32 kg	
ZR180 (2" Round Brass 385) 3.650m = 62.63 kgs	KG
ZR180/352 (2"Round Brass Rod 352 alloy) 3.6m= 61.05 kg	KG
ZR180/377 (2" Round Bar 377 Alloy) 3.6m=62.66kg	KG
ZR180/486 (2"Round Brass Rod 486 Alloy) 3.6m= 62.48kg	KG
ZR181 (2-1/16" Round Brass 385) 3.6m= 65.73kg	KG
ZR181/352 (2-1/16" Round Brass Alloy 352) 3.6m=	KG
ZR182 (2-1/8" Round Brass 385) 3.60m=69.88 kgs	KG
ZR182/352 (2-1/8" Round Brass Bar 352) 3.6m=69.77 kg	KG
ZR182/377 (2-1/8" Round 377 Alloy) 3.65m= 69.77 kg	KG
ZR184 (2-1/4" Round Brass 385) 3.6m = 78.22kg 3.0m=65.40 kgs	KG
ZR184/352 (2-1/4" Round Brass 352 Alloy) 3.6m=78.22kgs	KG
ZR184/377 (2-1/4" Round Brass 377 Alloy) 3.6m=78.22kgs	KG
ZR184/486 (2-1/4" Round Brass Bar 486 Al) 3.6m=	KG

ZR186/377 (2-3/8" Round Brass Bar) 3.6m=	KG
ZR186/385 (2-3/8" Round Brass bar) 3.60m=88.33 kgs	KG
ZR188 (2-1/2" Round Brass 385) 3.6m=96.57kg	KG
ZR188/352 (2-1/2" Round Bar 352 Alloy) 3.6m = 96.57 kg	KG
ZR189 (2-5/8" Round Brass 385) 2.50m=74.00 kgs	KG
ZR189/352 (2-5/8" Round Brass Bar 352) 3.65m= 107.95kgs	KG
ZR189/377 (2-5/8" Brass Round Bar 377) 3.65m=107.95kgs	KG
ZR190 (2-3/4" Round Brass 385) 3.6m = 116.84 kg	KG
ZR190/352 (2-3/4" Round Brass Bar 352) 3.6m= 116.84kgs	KG
ZR191/352 (2-7/8" Round Bar 352 Alloy) 3.60 metres=128.00kg	KG
ZR192 (3" Round Brass 385) 3.60m = 140.00 kgs	KG
ZR192/352 (3" Round Brass Bar 352 Alloy) 3.6m=140 kgs	KG
ZR192/377 (3" Round Brass 377 Alloy) 3.6m= 135.4 kgs	K5G
ZR196/352 (3-1/4" Brass Round352 Alloy)	KG

	3.010m=134.78 kgs	
ZR200 (3-1/2" Round Brass 385) 2.5m=129.85kg	KG
ZR200/377 (3-1/2" Round Brass 377 Alloy) 3.6m=189.27kgs	KG
ZR202 (3-3/4" Round Brass 385) 3.6 M= 217.27kg	KG
ZR204 (4" Round Brass 385) 2.1 m=141.90 Kgs 1.8m=121.7 Kg	KG
ZR204/377 (4" Round Brass 377 Alloy) 1.8m=	KG
ZR205/385 (4-1/8" Round Brass Bar) 1.5m=	KG
ZR208 (4-1/4" Round Brass 385) 1.2m=94.2 kgs 2.4m=188.4 kgs	KG
ZR212 (4-1/2" Round Brass 385) 1.222m=107.5 kgs	KG
ZR212/352 (4-1/2"Round BrassBar 352 Alloy) 1.2m=105.0 kgs	KG
ZR214 (4-3/4" Round Brass 385) 1m= 96.83kg	KG
ZR216 (5" Round Brass 385) Note 2.44m=m = 263.52 kgs	KG
ZR220 (6" Round Brass Bar 385 Alloy) 3.6m=549.44 kg	KG