

Date: 17/04/14
Page: 1

HIGHETT METAL PTY LTD

Stocktake Sheets Report to 31/03/14

Stock Code Count	Description	Unit Bin
---------------------	-------------	----------

-----*

Cat... New Aluminium Material

ZTMF40/12 (40mm x12mm Alum Flat 6060-T5) 4.0m= 5.217 kg	KG
----------------	---	----

ZTMF40/16 (40mm x16mm Flat Alum 6060-T5) 4.0 m = 6.956 kg	KG
----------------	---	----

ZT0/20/1.6/6061 (20mmx1.6 Hollow Alum Tube 6061) 6m=1.506kg	KG
----------------------	---	----

ZT0/25/1.6/6061 (25mmx1.6 Hollow Alum Tube 6061) 6.5m=2.0735kg	KG
----------------------	--	----

ZT04.76/.82 (4.76 x .82 Alum Coil 3003 H112) 1 Coil=	KG
------------------	--	----

ZT06.35/1 (6.35mm x1 Aluminium Tube A3003)	KG
----------------	-------------------------------------	----

ZT07.0/1 (7mm x 1mm Aluminium Tube A3003)	KG
---------------	-------------------------------------	----

ZT07.94/1 (7.94mm x1Aluminium Tube A3003)	KG
----------------	------------------------------------	----

ZTP020/6061-T6 (20mm Aluminium Plate 6061-T6) 1200mm x 2400mm= 161kgs	KG
---------------------	--	----

ZTP025/5083 (25mm Aluminium Plate 5083) 2400mm x1200mm= 195.00 kgs	KG
------------------	--	----

ZTP032/6061-T6 (32mm Aluminium Plate 6061-T6) 2400mmx 1200mm=253kgs	KG
---------------------	--	----

ZTP080/6061-T6 (80mm Aluminium Plate 6061-T6)	KG
---------------------	-----------------------------------	----

	2400mm x 1200mm= 622kgs	
ZTP116/6061-T6 (1/4" Aluminium Plate 6061-T6) 3657.8 x 1219.2m =77 kgs	KG
ZTP124/6061-T6 (9.53mm Aluminium Plate6061-T6) 1219mm x 3658mm=118kgs	KG
ZTP132/6061-T6 (1/2"Aluminium Plate 6061-T6) 2400mm x 1200mm=99.4kgs	KG
ZTP140/6061-T6 (5/8" Aluminium Plate 6061-T6) 2400 x 1200=124kgs	KG
ZTP148/6061-T6 (19.05mm Alum Plate 6061-T6) 2400mm x1200mm=149.08 kg	KG
ZTP164/6061-T6 (1"Aluminium Plate 6061-T6) 2400mm x 1200mm=202.0kgs	KG
ZTP168/6061-T6 (1-1/4''Aluminium Plate 6061-T6) 3657.8x1219.2= 386 kgs	KG
ZTP180/6061-T6 (2" Aluminium Plate 6061-T6) 1219 x 3658m=650 kgs	KG
ZTP188/6061-T6 (2-1/2"Aluminium Plate 6061-T6) 3657.8 x 1219.2=776 kgs	KG
ZTP204/6061-T6 (4" Aluminium Plate 6061-T6) 2400mmx 1200mm=800 kgs	KG
ZTP210/6061-T6 (4-1/2" Aluminium Plate 6061-T6) 3657.8 x 1219.2 = 1376 kgs	KG
ZTP218/6061-T6 (5"Aluminium Plate 6061-T6) 3657.8 x 1219.2m = 1544kgs	KG
ZTR116/2011-T3 (1/4"Aluminium Round 2011-T3) 3.60m=0.322 kgs	KG

ZTR120/2011-T3 (5/16"Aluminium Round 2011-T3) 3.6m= 0.482kg	KG	N2
ZTR120/6061-T6 (5/16" Aluminium Round 6061-T6) 3.6m=0.484kgs	KG	
ZTR124/2011-T3 (3/8" Aluminium Round 2011-T3) 3.60m=.722kgs	KG	N5
ZTR128/2011-T3 (7/16" Aluminium Round 2011-T3) 3.60m=.973kgs	KG	N7
ZTR128/6061-T6 (7/16"Aluminium Round 6061-T6) 3.60m= .924kgs	KG	
ZTR128/6262-T6 (7/16" Aluminium Round 6262-T6) 3.60m=0.953kgs	KG	
ZTR128/6262-T9 (7/16"Aluminium Round 6262-T9) 3.60m=0.952 kg	KG	
ZTR132/2011-T3 (1/2" Aluminium Round 2011-T3) 3.66m= 1.254kgs	KG	N10
ZTR132/2011-T6 (1/2" Aluminium Round 2011-T6) 3.60m = 1.300kg	KG	N11
ZTR132/6020-T8 (12.7mm Diameter 6020-T8) 3.6m=1.245 kgs	KG	
ZTR132/6061-T6 (1/2" Aluminium Round 6061-T6) 3.60m=1.253kgs	KG	N12
ZTR132/6262-T9 (1/2"Aluminium Round 6262-T9) 3.60m=1.253 kg	KG	
ZTR132/7075-T65 (1/2" Aluminium Round 7075-T651) 3.60m=1.283 Kg	KG	
ZTR136/2011-T3	9/16" Aluminium Round 2011-T3	KG	N14

()	3.60m= 1.562kgs		
ZTR136/2011-T6	9/16" Aluminium Round 2011-T6	KG	N15	
()	3.6m = 1.644 kgs		
ZTR136/6061-T6	9/16" Aluminium Round 6061-T6	KG	N16	
()	3.60m=1.572 kgs		
ZTR136/6262-T9	9/16" Aluminium Round 6262-T9	KG		
()	3.6m=1.574kgs		
ZTR140/2011-T3	5/8" Aluminium Round 2011-T3	KG	N17	
()	3.60m= 1.929kgs		
ZTR140/6020-T8	5/8" Aluminium Bar 6020-T8	KG		
()	3.6m=1.95 kgs		
ZTR140/6061-T6	5/8" Aluminium Round 6061-T6	KG		
()	3.60m= 1.942 kgs		
ZTR140/6262-T6	5/8" Aluminium Round 6262-T6	KG		
()	3.60m=1.939 kgs		
ZTR140/6262-T9	5/8"Aluminium Round 6262-T9	KG		
()	3.60m=1.945 kgs		
ZTR140/7075-T6	5/8" Aluminium Round 7075-T6	KG	N18	
()	3.60m =2.00 kgs		
ZTR144/2011-T3	11/16" Aluminium Round 2011-T3	KG	N21	
()	3.60m=2.409 kgs		
ZTR148/2011-T3	3/4" Aluminium Round 2011-T3	KG	N25	
()	3.60m=2.925 kgs		
ZTR148/6020-T8	3/4"Diameter Aluminium 6020-T8	KG		
()	3.6m=2.807 Kgs Lead Free		
ZTR148/6061-T6	3/4"Aluminium Round Bar6061-T6	KG		
()	3.60m= 2.789 kgs		

ZTR148/6262-T9 (3/4"Aluminium Round 6262-T9) 3.60m=2.802 kgs	KG	
ZTR148/7075-T6 (3/4"Round Aluminium 7075-T6) 3.60m=2.8729 kgs	KG	
ZTR152/2011-T3 (13/16" Aluminium Round 2011-T3) 3.60m=3.44 kgs	KG	N29
ZTR152/6061-T6 (13/16"Aluminium Round 6061-T6) 3.60m=3.272 kgs	KG	
ZTR156/2011-T3 (7/8"Aluminium Round 2011-T3) 3.60m=3.97 kgs	KG	N33
ZTR156/6061-T6 (7/8" Aluminium Round 6061-T6) 3.6m=3.807 kgs	KG	
ZTR156/6262-T9 (7/8" Aluminium Round 6262-T9) 3.60m=3.807 kgs	KG	
ZTR156/7075-T65 (7/8"Diameter Alum 7075-T6) 3.6m=3.93 kgs	KG	
ZTR160-6262-T9 (15/16" Diameter Aluminium 6262) 3.6m=	KG	
ZTR160/2011-T3 (15/16" Aluminium Round 2011-T3) 3.6m= 4.553 kgs	KG	
ZTR160/7075-T6 (15/16" Round Aluminium 7075-T6) 3.6m=4.50 Kgs	KG	
ZTR164/2011-T3 (1"Aluminium Round 2011-T3) 3.6m= 5.16 Kgs	KG	N35
ZTR164/6020-T8 (1" Diameter Alumin 6020-T8) 3.6m= 4.99 kgs Lead Free	KG	
ZTR164/6061-T6	1" Aluminium Round 6061-T6	KG	N36

()	3.6m= 4.995 kgs		
ZTR164/6262-T6	1" Aluminium Round 6262-T6	KG		
()	3.0m= 4.18kgs		
ZTR164/6262-T9	1" Aluminium Round 6262-T9	KG		
()	3.60m=4.99 kgs		
ZTR164/7075-T65	1"Round Aluminium 7075-T6511	KG		
()	3.60m=5.122 kgs		
ZTR165/2011-T3	1-1/16"Aluminium Round2011-T3	KG	N42	
()	3.60m=5.84 kgs		
ZTR165/6262-T9	1-1/16"Aluminium Round 6262-T9	KG		
()	3.6m=5.66kgs		
ZTR166/2011-T3	1-1/8"Aluminium Round 2011-T3	KG	N43	
()	3.6m= 6.57 kg		
ZTR166/2011-T6	1-1/8" Aluminium Round 2011-T6	KG	N44	
()	3.6m = 6.57kg		
ZTR166/6061-T65	1-1/8" AluminiumRound 6061-T6	KG		
()	3.6m=6.29kgs		
ZTR166/6262-T9	1-1/8"Aluminium Round 6262-T9	KG		
()	3.6m=6.26kgs		
ZTR166/7075-T6	1-1/8" Aluminium Round 7075	KG		
()	3.6m=6.50 Kgs		
ZTR167/2011-T3	1-3/16"Aluminium Round 2011-T3	KG	N47	
()	3.6m=7.28kg		
ZTR167/6262-T6	1-3/16"Aluminium Round 6262	KG		
()	3.0m=5.83kgs		
ZTR167/6262-T9	1-3/16" Alum Round 6262-T9	KG		
()	3.6m=7.03kgs		

ZTR168/2011-T3 (1-1/4" Aluminium Round 2011-T3) 3.6m=8.1kg 3.66m=8.235 kgs	KG	N48
ZTR168/2014M (1-1/4"Aluminium Round 2014) 3.6m=8.02kg	KG	N49
ZTR168/6020-T8 (31.75mm Diameter 6020-T8) 3.6m=7.8 kgs	KG	
ZTR168/6061-T6 (1-1/4"Aluminium Round 6061-T6) 3.6m=7.75kgs	KG	N50
ZTR168/6262-T9 (1-1/4"Aluminium Round 6262-T9) 3.6m=7.87kg	KG	
ZTR168/7075-T6 (1-1/4"Diamete Round Bar7075-T6) 3.6m=8.00 kg	KG	
ZTR169/2011-T3 (1-5/16"Aluminium Round 2011-T3) 3.6m=8.98kgs	KG	
ZTR169/6262-T6 (1-5/16"Aluminium Round 6262-T6) 3.6m=8.59kg	KG	
ZTR169/6262-T96 (1-5/16" Round Aluminium6262-T9) 3.6m=8.59 kgs	KG	
ZTR170/2011-T3 (1-3/8"Aluminium Round 2011-T3) 3.6m=9.6 kgs	KG	N53
ZTR170/6262-T9 (1-3/8"Aluminium Round 6262-T9) 3.6m=9.42kg 3.4m=8.85 kgs	KG	
ZTR172/2011-T3 (1-1/2" Aluminium Round 2011-T3) 3.6m= 11.66 kgs	KG	N58
ZTR172/6061-T6 (1-1/2" Aluminium Round 6061-T6) 3.6m = 11.04kg	KG	N59

ZTR172/6262-T6 (1-1/2" Aluminium Round 6262-T6 KG) 3.0m= 9.36kgs	
ZTR172/6262-T9 (1-1/2"Round Aluminium 6262-T9 KG) 3.6m= 11.13kgs	
ZTR172/7075-T6 (1-1/2 Aluminium Roun 7075-T651 KG) 3.6m= 11.5 kgs	
ZTR174/2011-T3 (1-5/8" Aluminium Round 2011-T3 KG) 3.6m=13.73kgs	
ZTR176-7075-T6 (1-3/4"Aluminium Round 7075-T6 KG) 3.6m= 15.78 kgs	
ZTR176/2011-T3 (1-3/4" Aluminium Round 2011-T3 KG) 3.6m=15.86kg	
ZTR178/6061-T6 (1-7/8" Aluminium Round 6061-T6 KG) 3.6m=17.43 kg	
ZTR178/6262-T9 (1-7/8"Aluminium Round 6262-T9 KG) 3.6m= 17.37kgs	
ZTR178/7075-T6 (1-7/8" Aluminium Round 7075-T6 KG) 3.6m=17.44 kgs	
ZTR180/2011-T3 (2" Aluminium Round 2011-T3 KG) 3.55m=20.33 kgs 3.6m=20.70 Kgs	
ZTR180/6061-T6 (2"Aluminium Round Bar 6061-T6 KG) 3.6m=19.72 Kgs 2.0m=11.03kgs	N70
ZTR180/6262-T6 (2" Diameter 6262-T6 KG) 3.60 Metres= 18.33 Kgs	
ZTR180/6262-T9 (2" Aluminium Round 6262-T9 KG) 3.6m= 20.54 kgs	
ZTR184/2011-T6 (2-1/4" Aluminium Round 2011-T6 KG)	

	3.6m=25.608		
ZTR188/2011-T6 (2-1/2"Aluminium Round 2011-T6)	KG	
	3.6m= 32.6kgs		
ZTR188/6061-T6 (2-1/2"Round Aluminium 6061-T6)	KG	
	3.6 metres=31.00 kgs		
ZTR188/6262-T6 (2-1/2" Diam Aluminium 6262-T6)	KG	
	3.6m= 31.4 kgs		
ZTR190/2011-T3 (2-3/4"Aluminium Round 2011-T6)	KG	
	3.6m = 38.24 kg		
ZTR192/2011-T6 (3" Aluminium Round 2011-T6)	KG	
	1.8m=23.42 Kgs		
ZTR192/6061-T65 (3"Round Aluminium Bar 6061-T65)	KG	
	2.9m= 35.93 kgs		
ZTR192/7075-T65 (3"Aluminium Round Bar7075-T651)	KG	
	3.66m= 46.65kgs 1.8m= 23.08 kg		
ZTR196/2011-T6 (3-1/2" Aluminium Round 2011-T6)	KG	
	3.6m=61.96kgs		
ZTR204/2011-T6 (4"Aluminium Round 2011-T6)	KG	
	1.8m=41.18kg3.0m=68.16 Kgs		
ZTR204/6061-T6 (4" Aluminium Round 6061-T6)	KG	N96
	1.5m= 33.50 kgs		
ZTR204/6262-T6 (4"Aluminium Round 6262-T6)	KG	
	1.8m=39.95 kgs		
ZTR204/7075-T6 (4" Aluminium Round 7075-T6)	KG	
	1.8m=40.87kg		
ZTR218/6061-T6 (5"Aluminium Round 6061-T6)	KG	
	3.0 Metres=103kgs		

ZTR220/7075F (5-1/4" Aluminium Round 7075F) Note 2m = 79.47kg	KG
ZTR230/2011-T6 (6" Aluminium Round 2011-T6) 1.8m=95.2kgs	KG
ZTR240/7075F (7" Aluminium Round 7075F) Note 1.5m = 111.42kg	KG
ZTR250/6061-T6 (8" Aluminium Round 6061-T6) 3.6m=319kgs 1.8m=159.5kgs	KG
ZTR254/6061-T6 (8-1/2" Aluminium Round 6061-T6) 1.8m=182.5 kgs	KG
ZTRH132/2011-T3 (1/2" Hex Aluminium 2011-T3) 3.66m= 1.44 kgs	KG
ZTRH136/2011-T3 (9/16" Hex Aluminium 2011-T3) 3.6m=1.765kg	KG
ZTRH140/2011-T3 (5/8" Hex Aluminium 2011-T3) 3.6m=2.24 Kgs	KG
ZTRH140/6262-T9 (5/8" Hex Aluminium 6262-T9) 3.6m=2.133kg	KG
ZTRH140/7075F (5/8" Hex Aluminium 7075F) Note 2m = 1.27kg	KG
ZTRH148/2011-T3 (3/4" Hex Aluminium 2011-T3) 3.66m= 3.2 Kgs	KG
ZTRH156/2011-T3 (7/8" Hex Aluminium 2011-T3) 3.4m=4.076 Kgs	KG
ZTRH156/6262-T9 (7/8" Hex Aluminium 6262-T9) 3.6m= 4.22kgs	KG
ZTRH164/2011-T3	1" Hex Aluminium 2011-T3	KG

()			
		3.66m=5.78kgs		
ZTRH164/6061-T6	1"Hex Aluminium Bar 6061-T6		KG	
()			
		3.6m=5.47kg		
ZTRH165/2011-T3	1-1/16" Hex Aluminium 2011-T3		KG	
()			
		3.6m= 6.46kgs		
ZTRH165/6262-T9	1-1/16" Hex Aluminium 6262-T9		KG	
()			
		3.6m= 6.22kgs		
ZTRH166/2011-T3	1-1/8" Hex Aluminium 2011-T3		KG	
()			
		3.6m=7.19kgs		
ZTRH166/6061-T6	1-1/8"Hex Aluminium Bar6061-T6		KG	
()			
		3.6m= 6.92kg		
ZTRH166/7075F	1-1/8" Hex Aluminium 7075F		KG	
()			
		Note 2m = 4.14kg		
ZTRH168/2011-T3	1-1/4"Hex Aluminium 2011-T3		KG	
()			
		3.6m=8.98kg		
ZTRH172/2011-T3	1-1/2"'Hex Aluminium Bar 2011		KG	
()			
		3.6m=12.55 kg		
ZTRH180/2011-T3	2' Hex Aluminium Bar 2011-T3		KG	
()			
		3.6m= 22.81KGS		
ZTRHR172/36.92	38.1mm x 36.92 Round Hollow		KG	
()			
		6.0m=3.38kgs		
ZTRM006/2011-T3	6mm Aluminium Round 2011-T3		KG	N1
()			
		3.6m = 0.302 kgs		
ZTRM008/2011-T3	8mm Aluminium Round 2011-T3		KG	N3
()			
		3.66m = 0.524 kgs		
ZTRM009/2011-T3	9mm Aluminium Round 2011-T3		KG	N4
()			
		3.6m = 0.66 Kgs		

ZTRM010/2011-T3 (10mm Aluminium Round 2011-T3) 3.6m = 0.80 kg 3.66m= .813 kg	KG	N6
ZTRM010/6262-T9 (10mm Round Aluminium 6262-T9) 3.6m=.770 kgs	KG	
ZTRM012/6061-T6 (12mm Aluminium Round 6061-T6) 3.6m=1.15kgs	KG	N8
ZTRM012/6262-T9 (12mm Round Aluminium 6262-T9) 3.6m=1.106 kgs	KG	
ZTRM0122011-T3 (12mm Aluminium Round 2011-T3) 3.6m=1.16 kgs	KG	N9
ZTRM013.23/2011 (13.23mm Aluminium Round 2011) 3.6m=1.411kg	KG	
ZTRM013/6262-T9 (13mm Round Aluminium 6262-T9) 3.050m= 1.12 kgs	KG	
ZTRM014/2011-T3 (14mm Aluminium Round 2011-T3) 3.6m=1.572 kgs	KG	N13
ZTRM014/6061-T6 (14mm Aluminium Round 6061-T6) 3.6m=1.5 kgs	KG	
ZTRM014/6262-T9 (14mm Round Aluminium 6262-T9) 3.6m=1.52kgs	KG	
ZTRM016/2011-T3 (16mm Aluminium Round 2011-T3) 3.6m = 2.062 Kgs	KG	N19
ZTRM016/6061-T6 (16mm Round Aluminium 6061-T651) 3.6m=1.967 kg	KG	
ZTRM016/6262-T9 (16mm Round Aluminium 6262-T9) 3.6m= 1.97 kgs	KG	
ZTRM017/6061-T6	17mm Round Aluminium 6061-T651	KG	

()	3.6m=2.45kg		
ZTRM018/2011-T3	18mm Round Aluminium 2011-T3	KG		
()	3.6m=2.6 kgs		
ZTRM019/2011-T3	19mm Aluminium Round 2011-T3	KG	N22	
()	3.6m=2.85kgs		
ZTRM019/6061-T6	19mm Aluminium Round 6061-T6	KG	N24	
()	3.6m = 2.72kg		
ZTRM020/2011-T3	20mm Aluminium Round 2011-T3	KG	N26	
()	3.6m = 3.22 Kgs		
ZTRM020/6061-T6	20mmAluminiumRound Bar 6061-T6	KG		
()	3.6m= 3.073 kg		
ZTRM020/6262-T6	20mm Aluminium Round 6262-T6	KG		
()	3.6m= 3.132 kg		
ZTRM021/6061-T6	21mm Round Aluminium 6061-T6	KG		
()	3.6m=		
ZTRM022/2011-T3	22mm Aluminium Round 2011-T3	KG	N30	
()	3.6m = 3.874 Kgs		
ZTRM022/6061-T6	22mm Aluminium Round 6061-T6	KG	N31	
()	3.6m= 3.67 kgs		
ZTRM022/6262-T6	22mm Aluminium Round 6262-T6	KG		
()	3.0m=3.12kg		
ZTRM023/6061-T6	23mm Diameter 6061-T6	KG		
()	3.6m = 4.1 kg		
ZTRM024/2011-T3	24mm Aluminium Round Bar 2011	KG	N34	
()	3.6m=4.55kgs		
ZTRM024/6061-T6	24mm Aluminium Diam 6061-T6	KG		
()	3.6m= 4.43kg		

ZTRM026/6262-T9 (26mm Round Aluminium 6262-T9) 3.66m=5.368 Kgs	KG	
ZTRM030/2011-T3 (30mm Aluminium Round 2011-T3) 3.6m=7.2 Kgs	KG	N45
ZTRM030/6262-T6 (30mm Aluminium Round 6262-T6) 3.0m= 5.69kgs	KG	
ZTRM030/6262-T9 (30mm Aluminium Round 6262-T9) 3.65m=7.04 kgs	KG	
ZTRM032/6061-T6 (32mm Diameter 6061-T6) 3.6m=7.81 kgs	KG	
ZTRM032/6262-T6 (32mm Diameter 6262-T6) 3.0m=6.6 kgs	KG	
ZTRM032/6262-T9 (32mm Aluminium Round 6262-T9) 3.6m=7.92kg	KG	
ZTRM032/7075 (32mm AluminiumRound 7075 Alloy) 3.0m=6.76 kg	KG	N52
ZTRM032011-T3 (32mm Round Aluminium 2011-T3) 3.6m=8.21kgs	KG	
ZTRM033/2011-T3 (33mm Diameter Aluminium 2011-T) 3.6m=8.54kg	KG	
ZTRM034/2011-T3 (34mm DiameterAluminium 2011-T3) 3.6m= 9.30 Kgs	KG	
ZTRM035/2011-T3 (35mm Aluminium Round 2011-T3) 3.6m= 10.22kgs	KG	N54
ZTRM035/6061-T6 (35mm Aluminium Round 6061-T6) 3.6m= 9.38kgs	KG	N55
ZTRM035/7075-T6	35mm Diameter 7075-T6	KG	

()	3.6m=9.7kg		
ZTRM036/2011-T3	36mm Aluminium Round 2011-T3	KG		
()	3.6m=10.42kg		
ZTRM036/6061-T6	36mm Diameter Aluminium 6061-T6	KG		
()	3.6m=10.00kg		
ZTRM036/6262-T9	36mm Aluminium Round 6262-T9	KG		
()	3.6m=10.07kg		
ZTRM038/7075	38mm Aluminium Round Bar 7075	KG	N56	
()	3.0 Metres=9.53 kg		
ZTRM039/2011-T3	39mm Round Aluminium 2011-T3	KG		
()	3.5m=12.075kg		
ZTRM039/2011-T6	39mm Round Aluminium 2011-T6	KG		
()	3.6m=12.42kgs		
ZTRM039/6061-T6	39mm Aluminium Round Bar 6061	KG	N60	
()	3.6m=11.52kgs		
ZTRM039/6262-T9	39mm Round Aluminium 6262-T9	KG		
()	3.6m=11.71 Kgs		
ZTRM040/2011-T3	40mm Aluminium Round 2011-T3	KG	N61	
()	3.6m=13.04 kg 4.0 mtre=14.48kg		
ZTRM040/6061-T6	40mm Aluminium Round 6061	KG	N62	
()	3.6m= 12.35kgs		
ZTRM040/6262-T9	40mm Round Aluminium 6262-T9	KG		
()	3.6m=12.49 kgs		
ZTRM042/2011-T3	42mm Aluminium Round 2011-T3	KG		
()	3.6m=14.19 kgs		
ZTRM042/6262-T6	42mm Aluminium Round 6262-T6	KG		
()	3.0m= 11.48kgs		

ZTRM042/7075-T6 (42mm Diameter 7075-T6) 3.6m= 14.05 Kgs	KG	
ZTRM044/5083-11 (44mm Round Aluminium 5083) 3.6m=16.15 kgs	KG	
ZTRM045/2011-T3 (45mm Aluminium Round 2011-T3) 3.6m= 16.32 kg	KG	N64
ZTRM045/6061-T6 (45mm Aluminium Round 6061-T6) 3.6m= 15.6kgs	KG	N65
ZTRM045/6262-T6 (45mm Diameter 6262-T6) 3.6m= 15.66 kgs	KG	
ZTRM045/6262-T9 (45mm Aluminium Round 6262-T9) 3.6m=15.67kgs	KG	
ZTRM050/2011T3 (50mm Aluminium Round 2011-T3) 3.6m= 20.05 Kgs	KG	N66
ZTRM050/2011T6 (50mm Aluminium Round 2011-T6) 3.6m=20.03 kgs	KG	
ZTRM050/6020-T8 (50mm Aluminium Round 6020-T8) 3.6m= 19.40 kgs Lead Free	KG	
ZTRM050/6061-T6 (50mm Aluminium Round 6061-T6) 3.6m= 19.45kg	KG	N67
ZTRM050/6262-T6 (50mm Aluminium Round 6262-T6) 3.30 Metres = 17.62 kgs	KG	
ZTRM050/6262-T9 (50mm Aluminium Round 6262-T9) 3.6m=19.23kgs	KG	
ZTRM050/7075 (50mm Aluminium Round 7075-T6) 3.6m= 19.9kgs	KG	
ZTRM051/7075	51mm Round bar 7075 Alloy	KG	

()	3.6m=20.5948 kgs		
ZTRM052/7075	52mmAluminium Round 7075-T6	KG	N75	
()	3.6m= 21.43kgs		
ZTRM055/2011-T6	55mm Aluminium Round 2011-T6	KG	N76	
()	3.6m=24.48 Kgs 1.8m= 12.3 kgs		
ZTRM055/6061-T6	55mm Aluminium Round 6061-T6	KG	N77	
()	3.6m = 23.31 Kgs		
ZTRM055/6262-T6	55mm Aluminium Round 6262-T6	KG		
()	3.6m=23.2kgs		
ZTRM060/2011-T6	60mm Aluminium Round 2011-T6	KG		
()	3.6m=28.96 Kgs 1.8m=		
ZTRM060/6020-T8	60mm Aluminium Round 6020-T8	KG		
()	3.6m= 28.31 kgs		
ZTRM060/6061-T6	60mm Aluminium Round 6061-T651	KG	N79	
()	3.6m= 27.89 kgs		
ZTRM060/6262-T6	60mm Aluminium Round 6262-T6	KG		
()	1.0m=7.75 Kgs		
ZTRM060/7075	60mm Aluminium Round 7075-T6	KG	N80	
()	3.6 Metres=28.53 kgs		
ZTRM065/2011-T6	65mm Aluminium Round 2011-T6	KG		
()	3.6m=34.21 kgs1.5m=16.72 Kgs		
ZTRM065/6020-T8	65mm Diameter 6020-T8	KG		
()	3.6m= 32.6 kgs		
ZTRM065/6061-T6	65mm AluminiumRound 6061-T651	KG	N81	
()	3.6m= 32.8 kgs		
ZTRM065/6262-T6	65mm Aluminium Round 6262-T6	KG		
()	3.6m=32.64 kgs 1.0m=9.15 kgs		

ZTRM065/7075-T6 (65mm Aluminium Round 7075-T6) 3.6m=33.454kgs	KG	
ZTRM068.5-6262- (68.5mm Diameter Aluminium 6262) 3.6m=	KG	
ZTRM069.5-6262- (69.5mm Diameter 6262-T6) 1.00m= 10.46 kgs	KG	
ZTRM070/2011-T6 (70mm Aluminium Round 2011-T6) 1.8m=19.98 Kgs	KG	N82
ZTRM070/6061-T6 (70mm Aluminium Round 6061-T6) 1.8m= 19.0 kgs 3.6m= 38.10 Kgs	KG	N83
ZTRM070/6262-T6 (70mm Aluminium Round 6262-T6) 2.95m=31.33 Kgs	KG	
ZTRM075/2011-T6 (75mm Aluminium Round 2011-T6) 1.8m=22.91 Kgs	KG	
ZTRM075/6061-T6 (75mm Aluminium Round 6061-T6) 1.8m= 21.6 kgs 3.6m= 42.83 kg	KG	
ZTRM075/6262-T6 (75mm AluminiumRound 6262-T6) 2.95m= 36.0 Kgs	KG	
ZTRM080/2011-T6 (80mmAluminium Round 2011-T6) 1.8m=25.09 kgs 1.5m=21.66 Kgs	KG	N85
ZTRM080/6061-T6 (80mm Aluminium Round 6061-T6) 1.8m= 24.6 kgs	KG	N86
ZTRM080/6262-T6 (80mm Aluminium Round 6262-T6) 1.8m= 25.73 kgs	KG	
ZTRM085/2011-T6 (85mm Aluminium Round 2011-T6) 1.8m=28.9kgs	KG	
ZTRM085/6061-T6	85mm Aluminium Round 6061-T6	KG	

()	1.8 m= 27.5 kgs		
ZTRM090/2011-T6	90mm Aluminium Round 2011-T6		KG	N88
()	1.5m= 27.45 kgs 1.8m=32.97 Kgs		
ZTRM090/6061-T6	90mm AluminiumRound 6061-T651		KG	N89
()	1.8m= 31.115 kgs		
ZTRM090/6262-T6	90mm Aluminium Round 6262-T6		KG	
()	1.8m= 32.57 Kgs		
ZTRM092/2011-T6	92mm Aluminium Round 2011-T6		KG	
()	3.6m=64.87kgs		
ZTRM092/6061-T6	92mm Aluminium Round 6061-T651		KG	N90
()	3.6m= 64.5 kgs		
ZTRM095/2011-T6	95mm Aluminium Round 2011-T6		KG	
()	3.6m=72.9kgs 1.8m=36.45 kgs		
ZTRM095/6061-T6	95mm Aluminium Round 6061-T6		KG	
()	3.0m= 57.92 Kgs		
ZTRM100/2011-T6	100mm Aluminium Round 2011-T6		KG	N92
()	1.5m= 33.31 kg 1.8m =40.35 kgs		
ZTRM100/6061-T6	100mm Aluminium Round 6061-T6		KG	N93
()	1.5m= 33.5 kgs3.6m=76.10 kgs		
ZTRM100/6262-T6	100mm Aluminium Round 6262-T6		KG	
()	1.8m=38.5 kgs 3.6m=77.00kgs		
ZTRM105/2011-T6	105mm Aluminium Round 2011-T6		KG	
()	1.8m=44.9 kgs		
ZTRM105/6061-T6	105mmAluminium Round 6061-T651		KG	
()	1.8m=42.40 kgs		
ZTRM105/6262-T6	105mm Aluminium Round 6262-T6		KG	
()	3.0m=71.40kgs		

ZTRM110/2011-T6 (110mm Aluminium Round 2011-T6)	KG	
	1.8m= 48.45kgs 1.5 m=40.00Kgs		
ZTRM110/6061-T6 (110mm Aluminu Round 6061-T651)	KG	N98
	1.5 metres= 38.90 kgs		
ZTRM110/6262-T6 (110mm Aluminium Round 6262-T6)	KG	
	3.0 m=77.33kg		
ZTRM115/2011-T6 (115mm Aluminium Round 2011-T6)	KG	
	3.0m=89.34kgs 1.8m=53.6		
ZTRM115/6061-T6 (115mm AluminiumRound 6061-T651)	KG	
	1.8m= 53.25kgs		
ZTRM115/6262-T6 (115mm Aluminium Round 6262-T6)	KG	
	2.6m=74.14kgs 3.6m= 102.65kg		
ZTRM120/2011-T6 (120mm Round Aluminium 2011-T6)	KG	N99
	1.8m=58.12 kgs 1.5m = 48.43 kg		
ZTRM120/6061-T6 (120mm Aluminium Round 6061-T6)	KG	N100
	3.6m=110.63kgs1.8m=55.32 kgs		
ZTRM120/6262-T6 (120mm Aluminium Round 6262-T6)	KG	
	1.8m=55.86 kgs		
ZTRM125/2011-T6 (125mm Round Aluminium 2011-T6)	KG	
	1.81m= 61.5 kgs 3.6m=123.0kgs		
ZTRM125/6061-T6 (125mm Round Alum 6061-T651)	KG	
	2.6m=87.02 kgs		
ZTRM125/6262-T6 (125mm Aluminium Round 6262-T6)	KG	
	2.6m= 87.17kgs 3.6m=121kgs		
ZTRM130/2011-T6 (130mm Round Aluminium 2011-T6)	KG	N101
	1.8m=67.0 kgs 1.5m=56.37 kgs		
ZTRM130/6061-T6	130mm Alum Round 6061-T651	KG	N102

()			
		1.5 metres=	54.45 kgs	
ZTRM130/6262-T6	130mm Aluminium Round 6262-T6	KG		
()			
		1.8m=	66.0 kgs	
ZTRM130/7075-T6	130mmDiameter Aluminium7075-T6	KG		
()			
		1.8m=	67.53 Kgs	
ZTRM139.7/6061	139.7mm Round Alum 6061-T6	KG		
()			
		3.658m=	151.5kgs 1.8m=75.7 kgs	
ZTRM140/2011-T6	140mm Aluminium Round 2011-T6	KG		N103
()			
		1.8m=	78.9 Kgs 1.5m=65. Kgs	
ZTRM140/6061-T6	140mm Round Aluminium 6061-T6	KG		
()			
		1.8m=	75.58 kgs	
ZTRM145/6061-T6	145mmRound Aluminium6061-T651	KG		
()			
		1.8m =	80.766	
ZTRM150/2011-T6	150mmAluminium Round 2011-T6	KG		N104
()			
		1.5m=	75.00 kgs	
ZTRM150/6061-T6	150mm Round Aluminium6061-T651	KG		
()			
		2.0m=	96.5 Kgs	
ZTRM150/6262-T6	150mm Aluminium Round 6262-T6	KG		
()			
		3.6m=	175.0kgs	
ZTRM152.4/6061	152.4mm Diameter 6061-T6	KG		
()			
		3.0 metres=	149.00 kgs	
ZTRM155/2011-T6	155mm Round Aluminium 2011-T6	KG		
()			
		1.8m =	94.2kg	
ZTRM160/2011-T6	160mm Round Aluminium 2011-T65	KG		
()			
		1.8m=	103.5 kgs 1.5m=84.33 kgs	
ZTRM160/6061-T6	160mm Round Aluminium 6061-T6	KG		
()			
		2.0m=	109.7 Kgs	

ZTRM160/7075 (160mm Round Aluminium 7075) 1.8m=101.16 kg	KG	
ZTRM170/2011-T6 (170mm Round Aluminium 2011-T6) 1.2m=78 kgs	G	
ZTRM170/6061-T6 (170mm Round Aluminium 6061-T6) 1.8m=111.02kg	KG	
ZTRM175/6262-T6 (175mm Aluminium Round 6262-T6) 3.0m= 198.0kgs	KG	
ZTRM180/2011-T6 (180mm Round Aluminium 2011-T6) 1.5m=109.5 kgs	KG	
ZTRM180/6061-T6 (180mm Round Aluminium 6061-T6) 3.0m= 207 Kgs	KG	
ZTRM190/2011-T6 (190mm Round Aluminium 2011-T6) 1.5m= 119.0 Kgs	KG	
ZTRM190/6061-T6 (190mm Round Aluminium 6061-T6) 3.0m=232 kgs	KG	
ZTRM200/2011-T6 (200mm Round Aluminium 2011-T6) 1.13m= 120 kgs	KG	
ZTRM200/6061-T6 (200mm Round Aluminium 6061-T6) 2.7m=231 kgs 3.0m=256.5 kgs	KG	N105
ZTRM205/6061-T6 (205mm Aluminium Round 6061-T65) 1.2m=109.33 kgs	KG	
ZTRM210/2011-T6 (210mm Round Aluminium 2011-T6) 1.50m=145.53kgs 3.6m=359kgs		
ZTRM210/6061-T6 (210mm Diam Aluminium 6061-T6) 1.5m=143.00 kgs	KG	
ZTRM216/2011-T6	216mmDiameter 2011-T6	KG	

()		
		1.5m=	156.5 kgs
ZTRM216/6061-T6	216mm Aluminium Round 6061-T6		KG
()		
		1.2m=	122 kgs
ZTRM220/6061-T6	220mm Diameter Alum 6061-T6		KG
()		
		1.2m=	
ZTRM230/2011-T6	230mm Round Aluminium 2011-T6		KG
()		
		1.2m=	142.7 kgs
ZTRM230/6061-T6	230mm Round Aluminium 6061-T6		KG
()		
		1.52m=	174.2 kgs
ZTRM250/2011-T6	250mm Round Aluminium 2011-T6		KG
()		
		1.5m=	211 kgs
ZTRM250/6061-T6	250mm Round Aluminium Bar 6061		KG
()		
		3.2m=	429 kgs
ZTRM254/6061-T6	254mm Round Aluminium 6061-T6		KG
()		
		2.0m=	280 Kgs
ZTRM267/6061-T6	267mm Round Auminium6061-T6		KG
()		
		1.82m=	279 kgs
ZTRM275/7075-T6	275mm Diameter 7075-T6		KG
()		
		1.22m=	203.60 kgs
ZTRM280/6061-T6	280mm Round Aluminium 6061-T65		KG
()		
		2.63 metres=	450.kgs
ZTRM290/6061-T6	290mm Round Aluminium 6061-T6		KG
()		
		2.9m=	520.0 kgs
ZTRM300/6061-T6	300mm Round Aluminium 6061-T6		KG
()		
		1.0m =	192.1kgs
ZTRM320/6061-T6	320mm Round Aluminium Bar		KG
()		
		1.2m=	266 kgs

ZTRM350/6061-T6 (350mm Diameter Aluminium 6061-) 1.2m=	KG
ZTRMH010/6262T6 (10mm Hex Aluminium 6262) 3.6m=.84kg	KG
ZTRMH014/6061T6 (14mm Aluminium Hex 6061-T6) 2.0m = 0.922	KG
ZTRMH017/6061T6 (17mm Hex Aluminium Bar 6061-T6) 3.6m= 2.43kgs	KG
ZTRMH020/6262T6 (20mm Alum Hex 6262-T6) 3.6m=3.39kg	KG
ZTRMH024/2011T3 (24mm Hex Auminium Bar 2011-T3) 3.6m=5.089kgs	KG
ZTRMH024/6262T9 (24mm Alum Hex 6262-T9) 3.6m=4.97kgs	KG
ZTRMS016/2011T3 (16mm Square Aluminium 2011-T3) 3.6m = 2.498	KG
ZTRMS130/6061T6 (130mm Square Alum 6061-T651) 1.8m= 84 kgs	KG
ZTRS132/6061-T6 (1/2" Square Aluminium 6061-T6) 3.6m=1.61 kgs	KG
ZTRS140/6061-T6 (5/8" Square Aluminium 6061-T6) Note 1m = 0.75kg	KG
ZTRS164/2011-T3 (1"Square Aluminium 2011-T3) 3.6m= 6.50kgs	KG
ZTRS164/2011-T6 (1" Square Aluminium 2011-T6) 3.6m = 6.45kgs	KG
ZTRS166/2011-T3	1-1/8" Alum Square 2011-T3	KG

()	
		3.6m=8.22kg
ZTRS180/6262-T9	2"Square Aluminium Bar 6262-T9	
()	
		3.20metres= 22.45 kgs
ZTRS192/2011-T6	3"Square Aluminium Bar2011-T6	
()	
		3.6m = 58kgs
ZTRSH165/104	1-1/16 SQ x 1/16 wall tube	KG
()	
		3.6m = 15.24kg
ZTS25/10	25mm x 10mm Flat Aluminium 606	KG
()	
		4.0m= 2.78 kgs
ZTS50.8/12.0	50.8 x 12.0mm Aluminium Flat B	KG
()	
		4.0metres= 6.48 kgs
ZTS50.8/38.1	50.8mm x 38.1mm Flat Bar 2011	KG
()	
		3.6m = 19.5kgs
ZTS69.9/38.1	69.9x38.1Flat Aluminium 2011	KG
()	
		3.6m = 27kgs
ZTS80/20/6061	80mmx 20mm Aluminium 6061-T6	KG
()	
		3.55m=15.20kgs